

Measure

Wristbands

104

rwoje logo

A0000083





N

GO

91

WR

2025/2026

TABLE OF CONTENTS

TABLE OF CONTENTS

p. 2 Table of contents р. З Techniques used for printing

p. 4 Spoons

p. 7 Measures

p. 12 Scoops

p. 14 Buckets

p. 18 **Yellow TRAP**

p. 20 **Rain Gauges**

p. 22 **Measuring quadrats**

p. 23 Thermometer Thermo 19/27

p. 24 **Thermometer SOIL**

p. 26 Cleaning brush Nozzle+ p. 26 **Dial caliper MIL+** p. 27 **Oil can JUMBO** p. 27

Knife Lizard

p. 28 **Plastic seals**

p. 29 Veterinary seals

p. 30 **Sealed bottles**

p. 31 **Cylinder seals**

p. 32 Seal Sibo-Pastil 10

p. 32 Sachets Cryptex

p. 32 Crimpers SIBO-BAG

в. 33 List of seals р. 34

One-day wristbands



SIGNS & SYMBOLS



MAX 95°C	the product is dishwasher safe at the specified maximum temperature (°C)
	suitable for use in the microwave oven
	recycled product (granulate)
25 PP	polypropylene, a product of the safe plastic group (recyclable)
	polyethylene, a product of the safe plastic group (recyclable)
Ŕ	product for multiple use
PL/Europe	carton, number of items per carton (pcs.) quantity for Poland/ quantity for Europe
	pallet, number of items per pallet (pcs.)
Prüfinstitut Chemische Analytik GmbH	certyfikat Prüfinstitut Chemische Analytik GmbH
	Certyfikat European Union Intellectual Property Office

TECHNIQUES USED FOR PRINTING

TECHNIQUES USED FOR PRINTING

SCREEN PRINTING

The only method for permanent printing on plastics which allows products printed with this technique to be used in the agricultural, chemical, construction and food industries. Our screen printing inks are dishwasher safe, resistant to chemicals and abrasion. The advantage is the ability to print permanently without colour limitation, on any surface size (flat or convex).







A method of permanent and fast printing on plastics, which that alows products printed with this technique to be used in the agricultural, chemical, construction and food industries. This printing technique is recommended for small products with a flat surfaces and limited printing areas with a small number of colours.

HOTPRINTER

It is a single-color printing technique performed using a heated matrix. The process involves embedding the design along with a layer of ink from a foil in the desired color onto the printing surface. The result is a slightly embossed print, often in metallic colors such as gold or silver. The advantages of this method include the durability and aesthetic appeal of the print, as well as the speed of execution.



INKJET



It is a contactless method of marking the surfaces of various materials by spray-applying colored ink onto a moving product. This technique allows for the permanent printing of not only text but also variable numbering, barcodes, and QR codes.

LASER

Laser printing, also known as laser engraving, is an advanced technology that enables precise and durable marking of various materials, including plastics. This process is based on the use of a laser beam, which, thanks to its high energy concentrated on a small point, thermally modifies the surface of the material.



We test the adhesion of the prints according to standards: **ISO 2409** or **ASTM D3359-B DIN 53151**. We test the abrasiveness of the print according to the standard: **ASTM D5264**.





SPOONS

Where can you use our spoons?

- animal nutrition
- pharmaceutical industry
- poultry farms food supplements
- food industry
- markets
- agriculture
- restaurants







SPOONS





SPOONS



art. no	art. name				Ø		LOGO	IIII	PL/Europe		specifications
PIKO0001	PIKO 1 ml	6	18	91	18	1	35 x 6	-	15000 / 12000	160000	
PIK00002	PIKO 2 ml	10	22	94	-22	2	35 x 7	-	11000 / 10000	112000	
PIK00005	PIKO 5 ml	14	30	100	30	5	35 x8	-	8000 / 5500	80000	८ ३ ∏"
PIK00010	PIKO 10 ml	18	36	106	36	10	40 x 8	-	6000 / 4000	56000	
PIKOOD20	PIKO 20 ml	22	45	115	45	20	40 x 9	-	3000 / 2500	36000	
PIKOOD30	PIKO-5 30 ml	30	42	90	42	35	30 x 10	\checkmark	2250 / 1500	21600	E
PIKOOD50	PIKO-S 50 ml	38	46	93	46	50	30 x 11	\checkmark	1700 / 1300	16000	× B>
PIK00075	PIKO-S 75 ml	51	48	95	48	75	30 x 11	\checkmark	1200 / 900	12000	



Where can you use our measures?

- animal nutrition
- construction industry
- food industry
- agriculture
- beauty industry
- events, trade fairs
- advertisement
- catering
- horticulture
- chemical industry











Measures NANO 150 ml / 200 ml / 400 ml



art. no	art. name			\checkmark	Ø		LOGO	IIII	PL/Europe		specifications
N000150	NANO 150 ml	107	59	59	59	200	170 x 60	\checkmark	1120 / 845	11520	R 🕹 🎓
N000200	NANO 200 ml	110	66	66	66	270	160 x 80	\checkmark	1134 / 912	12672	
N000400	NANO 400 ml	133	79	79	79	490	220 x 100	\checkmark	650 / 500	6048	WAA 95 C



FAMILY SMART

Measures SMART 500 ml

MSOO5OO MOQ 100 pcs.



Measures SMART 1500 ml

MSO1500 MOQ 100 pcs.



Measures SMART 3000 ml

MSO3000 MOQ 100 pcs.



MSO1000 MOQ 100 pcs.



Measures SMART 2000 ml

MSO2000 MOQ 100 pcs.







art. no	art. name	\$			Ø		LOGO		PL/Europe		specifications
M500500	SMART 500 ml	148	98	140	98	730	130 x 60 /2	\checkmark	460 / 270	4592	
MS01000	SMART 1000 ml	183	122	175	122	1390	160 x 60 /2	\checkmark	210 / 144	2000	
MS01500	SMART 1500 ml	201	133	190	133	1800	170 x 60 /2	\checkmark	143 / 100	1440	
M502000	SMART 2000 ml	215	142	198	142	2200	190 x 70 /2	\checkmark	100 / 64	1216	MAX 95°C
M503000	SMART 3000 ml	256	170	230	170	3750	200 x 80 /2	\checkmark	56 / 36	576	

Measures MUG 500 ml

M000500 MOQ 100 pcs.

Measures TWIN 2000 ml

MT02000 MOQ 250 pcs.

Measures EKO 1000 ml

MOO1000 MOQ 100 pcs.



Measures SOLID 1800 ml

MOO1800 MOQ 672 pcs.



Measures GUSTAV 5000 ml

MOQ 100 pcs.



Measures BUCK 10 L

WMOOO10 MOQ 100 pcs.



art. no	art. name	\$		$ \bigstar $	Ø		LOGO		PL/Europe		specifications
M000500	MUG 500 ml	98	92	130	92	580	180 x 80	\checkmark	144 / 120	1680	
M001000	EKO 1000 ml	134	124	184	124	1230	100 x 85 /2	\checkmark	150 / 96	1344	
MT02000	TWIN 2000 ml	187	173	177	-	2080	130 x 90	\checkmark	-	384	
M001800	SOLID 1800 ml	201	126	211	126	1900	135 x 85	\checkmark	-	768	MAX 95°C
MG05000	GUSTAV 5000 ml	269	208	276	208	6450	200 x 120	\checkmark	42*	400	
WM00010	BUCK 10 L	245	296	274	274	10000	250 x 150	\checkmark	-	1000	

*handle without assembly

SCOOPS





SCOOPS







- economical packaging (handle separately) after installing the handle it is unable to remove it

art. no	art. name				Ø		LOGO		PL/Europe		specifications
ARTHUR200	ARTHUR 200 g	39	67	198	-	-	40 x 18	\checkmark	850/600	8000	
ARTHUR500	ARTHUR 500 g	56	93	251	-	-	45 x 19	\checkmark	400/300	4800	
ARTHUR1000	ARTHUR 1000 g	70	110	312	-	-	65 x 20	\checkmark	180/160	2240	
MEGA2000	MEGA+ 2 kg	84	137	340	-	-	112 x 60 + 70 x 30 /2	\checkmark	180* 63	1760* 640	MAX 95°C

* handle without assembly







Where can you use our buckets?

- animal feeding
- construction industry
- events, trade fairs
- advertisment
- social campaigns
- horticulture
- agriculture
- cleaning companies
- chemical industry
- beauty industry









Bucket EKO 5 l / 10 l W000005 W000010 V SP LOGO LOGO /ellow (STANDARD COLORS: 145 MOQ 100 pcs. Milk White Light Blue Blue Yellow Green Light green Dark Green Red Pink Orange Black Fuchsia Grav COLORS OTHER:

MOQ 1000 psc. Different

Bucket STRONG RECYCLING 12 L

LOGO





Bucket STRONG 12 l

STANDARD COLORS: MOQ 100 pcs.

Different

COLORS OTHER: MOQ 3000 psc.



Bucket STRONG 12 l with funnel

WOOCR12L

STANDARD COLORS: MOQ 100 pcs.

Black





WUUUUU5	EKU 5 l	202	247	231	231	5350	200 x 120 /2	V	-	IUUU	
W000010	EKO 10 l	245	296	274	274	10000	250 x 150 /2	\checkmark	-	1000	
M001000	HANDLE SOFT GRIP 10 l / 12 l / 16 l / 20 l	16	11	105	-	-	-	-	1000	-	
W00C12	STRONG COLOR 12 L	243	315	309	309	12000	300 x 140 /2	\checkmark	-	1000	
W00C16	STRONG COLOR 16 L	283	359	330	330	16000	300 x 150 /2	\checkmark	-	720	
W00C20	STRONG COLOR 20 l	288	394	357	357	20000	350 x 170 /2	\checkmark	-	540	
WOOR12	STRONG RECYCLING 12 l	243	315	309	309	12000	300 x 140 /2	\checkmark	-	1000	
WOOR16	STRONG RECYCLING 16 L	283	359	330	330	16000	300 x 150 /2	\checkmark	-	720	
WOOR20	STRONG RECYCLING 20 L	288	394	357	357	20000	350 x 170 /2	\checkmark	-	540	
WOOC12L	STRONG 12 L BLACK (WITH FUNNEL)	240	318	333	309	-	300 x 150 + 300 x 70	\checkmark	_	800	
LIDBLACK	BUCKET LID 12 l	-	295	295	295	-	-	-	114 / 98	1440	

YELLOW TRAP





Yellow TRAP PREMIUM 2.0



RAIN GAUGES



Scan

BLE

DU

Rain gauge RAIN - EKO

D000001E MOQ 100 pcs.



Rain gauge RAIN FOLD - STANDARD

D0000015 MOQ 100 pcs.



RAIN GAUGES

Rain gauge RAIN FOLD PREMIUM+

DFOLD3RO MOQ 100 pcs.





Characteristics of FOLD PREMIUM+ Rain Gauges:

- vertical scale up to 40 mm with a measurement accuracy of 0.5 mm of rainfall,
- extended estimated scale up to 70 mm (storm scale),
- two indicators on the funnel (in different colors) for recording weekly, monthly, or annual rainfall,
- the collector allows recording cumulative rainfall up to 250 mm (250 l/m²),
- conical design of the mounting ring ensures optimal positioning of the rain gauge relative to falling rain as a measuring device,
- rain gauge protected by Patent No. 218270,
- rain gauge packaging protected by Industrial Design No. 18572,
- measuring device with a storm scale protected by EUIPO No. 008303481-0001,
- option to add custom printing,

SLEEVE – FOLD

RAINFOLDOVERLAY MOO 100 pcs.





SET INCLUDES:







RAIN FOLD rain gauge with a folding stick in the box facilitating further distribution

MEASURING QUADRATS



Frame Standard 1/10 m²

RAMOO1OS MOQ 100 pcs.



RAMOO1OM MOQ 100 pcs.





THERMOMETER THERMO 19/27 23



Thermometer Thermo 19/27



THERMOMETER SOIL





THERMOMETER SOIL

Thermometer SOIL - PREMIUM / PREMIUM PRO

TOOOOO3P MOQ 50 pcs.

version 19 cm



Soil thermometers with a shorter needle (19 cm version) are used for measuring soil temperature (prior to sowing temperature-sensitive seeds) as well as for measuring water temperature (e.g., for calf watering) and air temperature (e.g., in barns).

Agricultural thermometers with a longer needle (40 cm version), on the other hand, are used for measuring the temperature of silage.

The dial of the agricultural thermometer provides an excellent space for printing a logo.

Mounting

bracket



1 min

Handle for mounting on the bucket



OIL CAN - KNIFE

Oil can JUMBO 5 l



Knife LIZARD

NLODOD1 MOQ 100 pcs. A small, ergonomic and handy knife for opening envelopes and packages. Pocket knife Lizard is intended for everyday use by everyone and also for companies in logistics departments. Logo printing possible.





PLASTIC SEALS





FEATURES SEAL SIBO-BAG AND SIBO-BAG HUNTER

- 340 mm lenght clamp seal
- diameter of strap 2,2 mm x 5,2 mm
- breaking strength 400 N
- temperature range from -20°C to + 80°C
- made of PP

28

- strong metal chamber

Seal SIBO-BAG HUNTER



PACKING SEAL SIBO-BAG AND SIBO-BAG HUNTER



VETERINARY SEALS

Veterinary marks and wild meat carcass markings



Marks for venison carcasses KYR for licensed stores



REGON (National Business Registry Number) or KRS (National Court Register Number)

Marks for venison carcasses KYR HUNTER dedicated to direct sales



SEALED BOTTLES



CYLINDER SEALS

Seal SIBO-ROTO



Sealing wire STRING 600



USAGE

- designed for use as a complementary component for butterfly seals, such as SIBO-ROTO
- securing measuring devices, warehouses, and vehicles
- to be cut into appropriate lenghts according to individual requirements

FEATURES

- pcv coated stainless steel wire, so it doesn't stratify
- diameterØ 0,6 mm
- available in 25 meters rolls
- 100 N breaking force

SEAL SIBO-PASTIL

Seal SIBO-PASTIL 10



EPS sachet seals

17904

COLORS

- compatible with any crimper tool
- requires no special reprocessing procedures unlike lead seals
- can be used with sealing wire, cord, line of any length
- 18 x lighter than lead seal

PACKING



100 pcs. in plastic bag



PACKING







FEATURES

- unique sealing chamber, compatible with EPS seals
- made from durable KODURA polyester a type of multi-layer fabric
- transparent outer pocket, with access only from inside the sachet
- available in blue



Manual crimping tool ZA-01 for SIBO-BAG seals



FEATURES AND BENEFITS

- designed for sealing SIBO BAG bags
- increased efficiency with minimum effort
- works especially when closing Big-Bags on the production line, e.g. manufacturers of artificial fertilizers
- they are HEAVY DUTY tools
- robust steel construction
- ergonomically shaped
- manual guillotine

LIST OF SEALS

List of seals



ONE-DAY WRISTBANDS



001 TYVEK® SLIM 19 mm



Available colors according to the PANTONE pattern book:

102U 304L White Yellow Yellow

neon

Orange Pink Green neon neon neon

Green

Red

7471U Aqua Blue Purple Silver

877U

Neon colors glow under UV light.

Gold

Individual numbering, barcodes, or QR codes: inkjet printing

Black

ONE-DAY WRISTBANDS

AP 004 TYVEK[®] 1 TAB 25 mm

MOQ 100 pcs.



Available colors according to the PANTONE pattern book:





One-Day Adhesive Wristband Made of TYVEK® (wide Version, 25 mm Width with coupon).

TYVEK® is a lightweight, waterproof, and tear-resistant material made from polyester fibers, resembling paper. Its durable color and unique factory numbering add extra value to this product.

The print does not affect the quality of the wristband.

Logo printing: screen printing

Individual numbering, barcodes, or QR codes: **inkjet printing** Neon colors glow under UV light.



Scan

AP 024 ULTIMO FULL COLOR SLIM 19 mm

MOQ 100 pcs.



255 mm 220 mm 220 mm wristbad size / printable area invisible part after sealing

One-Day Adhesive Wristband Made of ULTIMO Paper **(Slim Version, 19 mm Width)**

ULTIMO paper is a thicker material with a textured, grainy surface. This product features full-color laser printing and unique factory numbering.

Printing method: **Digital (laser) printing** with a distinctive "dotting" effect.

AP 025 ULTIMO FULL COLOR WIDE 25 mm

MOQ 100 pcs.

Print color:

Full Color CMYK



<u>ــــــــــــــــــــــــــــــــــــ</u>	255 mm 220 mm	,
	 170 mm (best visilibity)	>

invisible part after sealing

One-Day Adhesive Wristband Made of ULTIMO Paper (Wide Version, 25 mm Width).

ULTIMO paper is a thicker material with a textured, grainy surface. This product features full-color laser printing and unique factory numbering.

Printing method: **Digital (laser) printing** with a distinctive "dotting" effect.





AP 003 VINYL SLIM 19 mm

MOQ 100 pcs.



ε	0						wri	istband	d size .	/ printa	able ar	ea	
39 m		95 mm	→ O	0	0	0	0	0	0	0	0	0	

260 mm

Multi-Day Clasp Wristband Made of Vinyl **(Slim Version, 19 mm Width).** Vinyl is a highly durable material with mechanical strength, water resistance, and a characteristic sheen.

The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: **Inkjet printing** Neon colors glow under UV light.

Available colors according to the PANTONE pattern book:





AP 015 VINYL HOLOGRAM 19 mm

MOQ 100 pcs.





	<		260 mm							-				
Ę	0							w	ristban	id size	/ print	able ar	ea	
Ë	0	 95 mm		0	0	0	0	0	0	0	0	0	0	19 m

Multi-Day Clasp Wristband Made of Vinyl (Slim Version, 19 mm Width with a holographic effect).

Vinyl is a highly durable material with mechanical strength, water resistance, and a characteristic sheen.

The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing

FEW-DAYS WRISTBANDS

AP 002 VINYL WIDE 25 mm

MOQ 100 pcs.

3890

Yellow

neon

Gold

White

Gray 6C Silver 1505U

Orange

neon

Black



74880

Green

neon

Red

Blue

Purple

Available colors according to the PANTONE pattern book:

Pink

neon



Multi-Day Clasp Wristband Made of Vinyl (Wide Version, 25 mm Width). Vinyl is a highly durable material with excellent mechanical strength, water resistance, and a distinctive glossy finish. The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing Neon colors glow under UV light.

INYL 5 TAB Δ



Available colors according to the PANTONE pattern book:



INYL 7 TAB

MOO 100 pcs



Available colors according to the PANTONE pattern book:





Multi-Day Clasp Wristband Made of Vinyl with 7 Tear-Off Coupons. Vinyl is a highly durable material with excellent mechanical strength, water resistance, and a distinctive glossy finish.

The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing Neon colors glow under UV light.

273 mm

10 VINYL 10 TAB MOO 100 pcs.



Available colors according to the PANTONE pattern book:





Multi-Day Clasp Wristband Made of Vinyl with 10 Tear-Off Coupons. Vinyl is a highly durable material with excellent mechanical strength, water resistance, and a distinctive glossy finish.

The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing Neon colors glow under UV light.



Multi-Day Clasp Wristband Made of Vinyl with 5 Tear-Off Coupons. Vinyl is a highly durable material with excellent mechanical strength, water resistance, and a distinctive glossy finish. The print does not affect the quality of the wristband.

Logo printing: Screen printing

Individual numbering, barcodes, or QR codes: Inkjet printing Neon colors glow under UV light.

WRISTBANDS SUBLIMATION





OP 007 SUBLIMATION WITH ALU LOCK

MOQ 100 pcs.



Wristband Made of Satin-Finish Polyester Ribbon. This wristband is designed for multi-color sublimation printing, a technique that ensures lasting color and pattern durability. Beyond identification, it serves as a memorable event keepsake.

To secure the wristband, slide the ALU clasp onto it and then tighten it using a ratchet seal press or hi-speed press (see page 40 for details).

+TAG PVC attached to the fabric wristband Print: **custom text, numbering, QR code**



WRISTBANDS SUBLIMATION **OP 020 SUBLIMATION WITH SELFGRIP**

MOQ 100 pcs.



024 SUBLIMATION WITH MULTICORAL OP

MOQ 100 pcs



Wristband Made of Satin-Finish Polyester Ribbon. Designed for multi-color sublimation printing, this wristband offers long-lasting color and pattern durability. Beyond identification, it can also serve as an event keepsake.

The MULTICOLOR clasp is pre-attached to the wristband and only requires tightening to a comfortable position when placed on the wrist. The clasp is adjustable in both directions, allowing the wristband to be removed and kept as a souvenir without damage ("remove & keep").

+TAG PVC attached to the fabric wristband Print: custom text, numbering, QR code



CRIMPER TOOL

CRIMPER TOOL



The ratchet mechanism ensures consistent clamping force for the aluminum clasp, regardless of the operator's strength when using the sealing tool.

The sealing tool is designed for use with wristbands: OP007





CRIMPER TOOL HISPEED



The hi-speed sealing tool is perfect for large-scale festivals and concerts. It provides fast and consistent clamping of aluminum clasps, regardless of the operator's strength.

The sealing tool is designed for use with wristbands: OP007



WAFFLE



WAFFLE FESTIVAL TOKENS



MD.



1 MAXI = 10 BASIC TOKENS

1 BASIC TOKEN = 2 MINI TOKENS

TOKENS



TOKENS CHIP

MOQ 100 pcs.

WITH HOLES



Available colors according to the PANTONE pattern book:

	107C	2000	716C	285C	7482C	Czarny	214C
White Y	ellow	Red	Orange	Blue	Green	Black	Pink

WITHOUT HOLES CHIP C CHIP D SIZE 1 € = 1 ZŁ Available colors according to the PANTONE pattern books:

	107C	200C	716C	285C	7482C	Czarny	214C
White	Yellow	/ Red	Orange	Blue	Green	Black	Pink



Free of charge pictograms: N_{01} N_{02} N_{03} N_{04} N_{05} N_{06} N_{07} N_{07} N_{06}

THE TOKEN TRAY



Fits all CHIP A, B, C, D





Available colors according to the PANTONE pattern book:

Red



HANGER FOR TOKENS

MOQ 100 pcs.



suitable for 23.3 mm tokens

Available colors according to the PANTONE pattern book:



EVENT CUPS



CUPS NANO 200 ML / 400 ML

MOQ 100 pcs.





Specifications:





can be washed in dishwashers (up to: temp. +95°C)





freely customisable promotional prints, logos

individual measuring scales ml/g

Our NANO event cup, made of polypropylene, is an eco-friendly product that is easy to clean, even in dishwashers at temperatures up to 95°C. With the option to print any client logo, it becomes not only a practical tool but also an effective advertising medium and a marketing gadget for industry professionals.

Printing method: Screen printing





phone: +48 65 529 48 08 e-mail: info@bott.pl















0294







www.bott.pl

www.bottprinti.com

www.bottdruck.de

www.bottpromo.fr